

Modeling User Reputation in Online Social Networks: The Role of Costs, Benefits, and Reciprocity

Frank Schweitzer^{1,2,*}, Pavlin Mavrodiev¹,
Adrian M. Seufert¹, David Garcia^{2,3}

¹ Chair of Systems Design, ETH Zurich, Weinbergstrasse 58, 8092 Zurich, Switzerland

² Complexity Science Hub Vienna, Josefstädter Strasse 39, 1080 Vienna, Austria

³ Section for Science of Complex Systems, CeMSIIS,
Medical University of Vienna, Spitalgasse 23, 1090 Vienna, Austria

* Corresponding author: fschweitzer@ethz.ch

Abstract

We analyze an agent-based model to estimate how the costs and benefits of users in an online social network (OSN) impact the robustness of the OSN. Benefits are measured in terms of relative reputation that users receive from their followers. They can be increased by direct and indirect reciprocity in following each other, which leads to a core-periphery structure of the OSN. Costs relate to the effort to login, to maintain the profile, etc. and are assumed as constant for all users. The robustness of the OSN depends on the entry and exit of users over time. Intuitively, one would expect that higher costs lead to more users leaving and hence to a less robust OSN. We demonstrate that an optimal cost level exists, which maximizes both the performance of the OSN, measured by means of the long-term average benefit of its users, and the robustness of the OSN, measured by means of the life-time of the core of the OSN. Our mathematical and computational analyses unfold how changes in the cost level impact reciprocity and subsequently the core-periphery structure of the OSN, to explain the optimal cost level.

Keywords: reciprocity, core-periphery network, cost-benefit relation, robustness, reputation

1 Introduction

Online social networks (OSN), like other types of social organizations, undergo a steady evolution. New users enter the network, while other users may decide to leave. New links between users are formed online, based on shared information, friendship, common interests, etc., and existing links may be deleted if users leave, or commonalities have changed. Under normal circumstances, such events may not jeopardise the existence of the OSN, in particular if the OSN is still popular and growing. However, losing users and links can pose a serious risk to OSN, even for large and successful ones on the scale of **Twitter** and **Facebook**. As a recent empirical study (Garcia *et al.*, 2013) has shown that the dropout of some users can trigger cascades of other users leaving, which quickly accumulates to a level that threatens the existence of the OSN.

In order to investigate the emergence and the impact of such cascades analytically and numerically, we propose a model that explicitly considers the costs and benefits of users of an OSN. *Benefits* are measured in terms of relative *reputation* (see Sect. 2.1), i.e. we take into account (i) the *number* and the *direction* of links between users, and (ii) the impact of the reputation of the counterparts on the reputation of a given user. A gain of reputation can be seen as a benefit of being part of a social network. But there are also *costs* involved in being a member of an OSN, even if they are implicit. These include, among others, the efforts to login, to maintain the individual profile, to learn how to efficiently use the GUI of the provider, or the effort to adapt to changes in the GUI.

Our model extends previous notions of reputation in social networks which are based on the degree or the centrality of a user, measured by traditional centrality metrics (Gayo-Avello, 2013). Different from such topological metrics, we define the reputation of a user based on the reputation of those users that are linked to it. That means there is a *value* assigned to incoming and outgoing links, as they increase either the own reputation or that of others. This implies to consider (i) a *directed network* and (ii) a self-consistent *dynamics* of how reputation changes with the reputation of others.

The assumption that individual reputation increases with the reputation of connected users is quite common in different ranking schemes. For example, the earliest version of **Google's PageRank** algorithm calculates the rank of a website as a function of the ranks of the sites linking to it. Similarly, the vulnerability of financial institutions can be calculated dependent on the vulnerability of the counterparties connected to it (Battiston *et al.*, 2012). In more general terms, such an assumption follows (hetero)catalytic models e.g. from chemistry and biology, where the concentration of a particular (chemical) species depends on the concentration of those species that produce, or feed, it (Eigen and Schuster, 1979). I.e. models of prebiotic evolution or foodweb interactions have already utilized such assumptions.

Jain and Krishna (1998) have combined this dynamics with a network dynamics that runs on a different time scale. At each time step (measured in network time), the system was perturbed by an extremal dynamics where the least performing node in the network was replaced by a new node that randomly rewires itself back to the system. This model was already analyzed in detail (Jain and Krishna, 2002a; Seufert and Schweitzer, 2007) and extended to cover other phenomena, such as strategic link formation between economic agents (Koenig *et al.*, 2009).

In this paper, we build on the existing model class, but extend it in a number of important points: (i) Different from the simple extremal dynamics (where only one user is removed), we introduce a condition for users to decide to leave, i.e. we allow *many* more users to leave dependent on their *personal* cost-benefit ratio. (ii) We focus on the effects that cascades of users leaving have on the robustness and the performance of the OSN. *Performance* is quantified using the long-term average reputation of users (see also Sect. 3.1) and is taken as a systemic measure for the OSN

rather than as an individual one. *Robustness* implies that the decision of users to leave the OSN does not trigger large cascades of other users leaving. We will proxy this by means of the life time of the core of the OSN (see also Sect. 2.3).

Our aim is not to focus on the *size* of cascades, which was done in different network approaches to *systemic risk* (Lorenz *et al.*, 2009; Tessone *et al.*, 2013), but rather to understand the impact that leaving users have on the OSN. As mentioned users will leave if their costs exceed their benefits. Different from previous publications we *vary* this cost, which is the crucial parameter in our model. Interestingly, we find that both the robustness and the performance of the OSN are maximized for a *non-zero cost* of usage.

To explain this, we have to investigate how directed links impact the reputation across the OSN. This leads us to the problem of *reciprocity*: If a user contributes to the reputation of *others*, she may expect that these users in return also increase her own reputation. Mutual directed links between two users, e.g. $1 \rightarrow 2 \rightarrow 1$, would indicate *direct reciprocity*. But users can also indirectly increase their reputation if they are part of a *cycle*, e.g. $1 \rightarrow 2 \rightarrow 3 \rightarrow 1$, which indicates *indirect reciprocity*.

While direct and indirect reciprocity is advantageous for the OSN from a user perspective, it is not well understood how reciprocity adds to systemic properties such as the robustness of the OSN. We will address this question by a mathematical analysis that explains the impact such cycles on the core-periphery structure of the OSN. Users that are part of a cycle are well integrated in the OSN, maintain a high reputation and have little incentives to leave. But if users leave because of bad cost-benefit ratio, this will impact the number and sizes of such cycles, which we need to understand by means of an analytic approach that is complemented by computer simulations.

Our paper is organized as follows: Section 2 introduces the model and the analytical framework to analyse the structure of an OSN. Different Appendices allow to study this framework by following concrete step-by-step examples. In Section 3 we present the results of computer simulations, to demonstrate the emergence of an optimal cost value, and we discuss the impact of different model parameters on the structure and the performance of the OSN. A discussion of the general insights and concluding remarks are provided in Section 4.

2 A reputation model

2.1 Costs and benefits

Why do users leave a online social network (OSN)? A rational answer should be, they leave because their costs of staying in the network exceed, at a given point in time, their benefits of

being members. This can be expressed by the dynamics:

$$s_i(t) = \Theta [b_i(t) - c_i(t)] \quad (1)$$

Here, $s_i(t)$ characterizes the current state of user i at time t as a binary variable: $s_i = 1$ means that the user is part of the network and $s_i = 0$ means that at time t the user leaves. $\Theta[z]$ is the Heavyside function which returns 1 if $z \geq 0$ and 0 if $z < 0$. Thus, the current state of user i depends on the difference between its benefits $b_i(t)$ and costs $c_i(t)$.

In the following, we assume that the benefits of a user to join, and to stay, in the OSN result from the *reputation* $X_i(t)$ that the user receives from being connected to other users in the OSN. There are many social networks that operate this way: in **Twitter** users get a reputation from the number of their followers, in product review communities like **Amazon** or **Youtube** users earn their reputation from the votes of other users. In our model, we particularly assume that the reputation of a user, i , does not just depend on the sheer number of other users that follow i , but also on their reputation. I.e. if a user j with a high reputation $x_j(t)$ connects to user i , the latter receives more reputation than from a follower with low reputation.

Such a reputation measure can be explicitly displayed on the site, like the **Reddit** karma or the *RG score* of **Researchgate**, which increases with the reputation of followers and the feedback of the community. On the other hand, user reputation can be implicit and not part of a user profile, but can still be perceived through the activity of other users. Examples of this implicit reputation are *retweets* in **Twitter** and *likes* in **Facebook**.

We can express the impact of the followers on the reputation of a user by the following dynamics:

$$\frac{dX_i}{dt} = \sum_{j=1}^N a_{ij}(t)X_j(t) - \phi X_i(t) \quad (2)$$

The coefficients a_{ij} 's are elements of the adjacency matrix of the OSN, \mathbf{A} . They represent the link between users j and i in the OSN at time t . These are unweighted, but directed links, because it makes a difference whether user j follows user i , or the other way round. $a_{ij}(t) = 1$ if there is a link from j to i , i.e. j is called a *follower* of i , and $a_{ij}(t) = 0$ otherwise. Since a user cannot follow herself, we set $a_{ii}(t) = 0$ for all t .

The sum in Eq. (2) is over all users that can potentially link to i . That means if a number of users leave the OSN, they are replaced by the same number of new users joining the OSN. This way the total number of users, N , is kept constant. This is a first, and not necessarily the most realistic, approximation to consider an *entry and exit* dynamics, which can be refined in subsequent investigations. The second term on the r.h.s. of Eq. (2) takes into account the effort to keep a certain level of reputation. Without a number of followers, the reputation of user i cannot be maintained and thus decays exponentially over time with a rate ϕ . The larger ϕ , the higher the effort to maintain the reputation.

In order to relate reputation to the benefits of users in the OSN, we could simply assume that benefits grow in proportion to reputation. On the other hand, the costs to stay in the OSN can be assumed to be a constant τ equal for all users, which can be seen as the effort to login and stay active. Note that there is no cost involved in maintaining links. According to Eq. (2) and dependent on the specific social network, the reputation of users can grow to large numbers, while on the other hand it can become infinitely small, but never zero. Because we are more interested in the reputation of users *relative* to others, we will rescale the benefits from the reputation by the largest value $X_{\max}(t)$, which makes different networks more comparable. Hence, the benefits and costs are specified in this model as follows:

$$b_i(t) = \frac{X_i(t)}{X_{\max}(t)} \in (0, 1) ; \quad c_i(t) = \tau \in [0, 1) \quad (3)$$

Note that, in contrast to Eq. (3), it is common to express the relative reputation in terms of the sum of the individual reputations, $\sum X_i(t)$:

$$x_i(t) = \frac{X_i(t)}{\sum_j X_j(t)} \quad (4)$$

In the context of an OSN, however, this is unrealistic, as it requires that either the total reputation or everyone's reputation is public knowledge. For this reason, we posit that users compare their reputation to the most reputable individual, who is often visible in rankings of user reputation. We note that despite the conceptual difference, a solution to Eq. (3) can be mapped directly to a corresponding solution to Eq. 4, by normalising x_i with respect to x_{\max} as follows:

$$\frac{x_i(t)}{x_{\max}(t)} = \frac{X_i(t)/\sum_j X_j(t)}{X_{\max}(t)/\sum_j X_j(t)} = \frac{X_i(t)}{X_{\max}(t)} = b_i(t) \quad (5)$$

In Appendix A, we further show that an equilibrium solution to Eq. (2) is also an equilibrium for $b_i(t)$ and $x_i(t)$ up to a scaling factor. This means that the entry/exit dynamics introduced in Section 2.3 is invariant to the particular way in which users evaluate their relative reputation.

According to Eq. (1), users leave the OSN at time t if their *relative reputation* is lower than a fixed threshold. Their links $a_{ij}(t)$ are then set to zero, which according to Eq. (2) reduces the reputation of other users j at the next time step. This can lead to cascades of users leaving the OSN at consecutive time steps. The aim of our paper is to understand how a decrease of users' motivation to stay because of an increase in their fixed costs τ will impact the OSN. Therefore, as a next step, in Sect. 2.2 we first investigate how the reputation depends on the social network, before turning to the entry/exit dynamics in Sect. 2.3.

2.2 Quasistationary Equilibrium

Let us first discuss the reputation dynamics of users for a *fixed* social network. Expressing the dynamics of $b_i(t)$ from Eq. (3) yields (see Appendix A):

$$\frac{db_i}{dt} = \sum_{j=1}^N a_{ij} b_j(t) - b_i(t) \sum_{j=1}^N a_{zj} b_j(t) \quad (6)$$

where z is the index of the individual with highest absolute reputation X_{\max} . The first term describes the reputation boost that individual i obtains from all her followers. The second term is a scaling factor and represents the reputation decay with strength equal to the total boost in reputation that user z receives.

Eigenvalues and eigenvectors The set of Eqs. (6) forms a linear dynamical system of coupled first-order differential equations with the initial conditions described by the vector $\mathbf{b}(0) = \{b_1(0), b_2(0), \dots, b_N(0)\}$. The (constant in time) a_{ij} forms the elements of an adjacency matrix \mathbf{A} of size $N \times N$ (see Figure 1).

At equilibrium we require $\dot{b}_i = 0$, hence

$$\sum_{j=1}^N a_{ij} b_j(t) = b_i(t) \sum_{j=1}^N a_{zj} b_j(t) \quad (7)$$

In matrix form, this equation becomes

$$\mathbf{A}\mathbf{b}(t) = \mathbf{b}(t) \sum_{j=1}^N a_{zj} b_j(t) \quad (8)$$

If \mathbf{X}^λ is an eigenvector of \mathbf{A} with a corresponding eigenvalue λ , then rescaling \mathbf{X}^λ will also produce an eigenvector, i.e. $\mathbf{b}^\lambda = \mathbf{X}^\lambda / X_{\max}^\lambda$ is a solution to Eq. (8). In this case the scaling factor $\sum_j a_{zj} b_j(t)$ gives the m^{th} component, $(\lambda \mathbf{b}^\lambda)_m$, of the vector $\lambda \mathbf{b}^\lambda$. Since $(\lambda \mathbf{b}^\lambda)_m = X_m^\lambda / X_{\max}^\lambda = 1$, it follows that $\sum_j a_{zj} b_j(t) = \lambda$.

Since \mathbf{A} is a real nonnegative matrix, the *Perron-Frobenius Theorem* tells us that the largest eigenvalue of \mathbf{A} , denoted by λ_1 , is real and positive (Bapat and Raghavan, 1997; Berman and Plemmons, 1987). Furthermore, the corresponding Perron-Frobenius eigenvector $\mathbf{b}^{\lambda_1} = \{b_1^{\lambda_1}, b_2^{\lambda_1}, \dots, b_N^{\lambda_1}\}$, is the only eigenvector with purely positive entries, and defines the reputation values of each user in equilibrium.

Let us illustrate this by the didactical example of a rather small network shown in Figure 1.




Figure 1: Sketch of an OSN (right) that displays a core-periphery structure (see text) and the corresponding adjacency matrix \mathbf{A} (left)

The characteristic polynomial determining the eigenvalues of the corresponding adjacency matrix \mathbf{A} given in Figure 1 is

$$-\lambda^5 + \lambda^3 + \lambda^2 = 0 \tag{9}$$

and the largest eigenvalue is $\lambda_1 = 1.32$. The corresponding eigenvector gives us the absolute reputation: $\mathbf{X}^{\lambda_1} = \{2.32, 1.75, 1.32, 1.32, 1\}$. Rescaling this eigenvector by $1/X_{\max}^{\lambda_1}$ gives the relative reputation in equilibrium: $\mathbf{b}^{\lambda_1} = \{1, 0.75, 0.57, 0.57, 0.43\}$.

Core-periphery structure To facilitate the interpretation of the relative reputation values in Figure 1, let us take a look at the corresponding network structure. This toy network already shows a topological feature typical for many social networks, known as a *core-periphery* structure (Capocci *et al.*, 2006; Cattani and Ferriani, 2008; Corten, 2012; Hojman and Szeidl, 2008; Holme, 2005; Kumar *et al.*, 2010; Vitali *et al.*, 2011). Following Borgatti and Everett (2000); Everett and Borgatti (2000), the core is defined as a cohesive subgroup (e.g. a clique, n -clique, n -club or n -clan, k -plex) and the periphery is everything else.

Accordingly, and accounting for the directionality in reputation-based OSNs, we define the *core*, Q , as the *largest strongly-connected component* (SCC) in the OSN. Each node in the SCC is reachable from all other nodes in the SCC. The *periphery* consists of all nodes that do not belong to the core. It is known that the Perron-Frobenius eigenvalue λ_1 of a directed OSN is equal to the Perron-Frobenius eigenvalue of its largest SCC and can be used to characterise the structure of the core Q (see Appendix B).

In Figure 1, the core is the SCC formed by users 1, 2, 3, who mutually boost each others' reputations. The periphery consists of users 4 and 5 who only benefit from being connected to the core. The periphery usually contains simple *chains* of users ($4 \rightarrow 5$) which emanate from the core, in this case from user 2. The core itself does not contain simple chains, but *cycles*, i.e. *closed* directed chains that involve $n \geq 2$ users (Jain and Krishna, 2002b). In the example, we observe two cycles, $1 \rightarrow 2 \rightarrow 1$ and $1 \rightarrow 2 \rightarrow 3 \rightarrow 1$, i.e. users can be part of more than one cycle. Moreover, all users have one follower each, except for user 1 who has two followers, thus her reputation can be expected to be higher than that of the others. Note that even though users

4 and 5 have the same number of followers, their reputation is different, as user 4 has a more reputable follower belonging to the core.

More formally, a *cycle* is defined as a subgraph in which there is a closed path from every node of the subgraph back to itself. Cycles and structures of interlocking cycles represent *irreducible subgraphs*. The core Q must always contain at least one cycle to qualify as a strongly connected component. In Appendix B we show the dependency between the Perron-Frobenius eigenvalue and the length and number of the cycles in the core.

Direct and indirect reciprocity The shortest cycle, $n = 2$, expresses *direct reciprocity*, i.e. in Figure 1 users 1 and 2 mutually follow each other and boost each other's reputations. For $n \geq 3$, we have *indirect reciprocity*, i.e. user 2 follows 3, however, 3 does not follow 2, but follows 1 instead, and only 1 may follow 2, thus closing the loop.

Direct reciprocity is very common in OSN, e.g. in **twitter** or **google+** it is seen as good practice to link back to someone that has chosen to follow you or to have you as his/her friend. Likewise, **likes**, **+1**, or shared posts often take reciprocity into account. Compared to this, indirect reciprocity is more difficult to detect. To boost interaction along a chain of followers, and to hopefully close the loop, some OSN, e.g. **google+** or **researchgate**, indicate for each follower the number of additional users that the user and the follower both have in common. This may increase the likelihood of creating shortcuts and also shorter cycles.

Length of simple chains At equilibrium, $db_i/dt = 0$, we can insert the eigenvector \mathbf{b}^{λ_1} corresponding to λ_1 into Eq. (6) to get

$$\sum_j a_{ij} b_j^{\lambda_1} = \lambda_1 b_i^{\lambda_1}; \quad b_i^{\lambda_1} = \frac{1}{\lambda_1} \sum_j a_{ij} b_j^{\lambda_1} \quad (10)$$

This means that, in the long run, the reputation b_i of user i is equal to the sum of the reputations of all users j that follow i , *attenuated* by a factor $1/\lambda_1$ (Jain and Krishna, 1998, 2002b).

Eq. (10) allows us to draw some conclusions about the maximum length of simple chains involving peripheral users. In the example discussed, we note that the reputations of users 4 and 5 are related by the attenuation factor in Eq. (10) such that $b_4 = b_2/\lambda_1$, $b_5 = b_2/\lambda_1^2$, and in general $b_n = b_2/\lambda_1^{n-1}$ for a chain of length n . If we require a simple chain to be exactly of length n , $b_n > \tau$ and $b_{n+1} \leq \tau$ must hold. In other words, the n^{th} peripheral user finds it beneficial to stay while the $(n+1)^{\text{th}}$ leaves. Hence, we obtain for n :

$$n \in \left[\frac{\ln(b_2/\tau)}{\ln \lambda_1}, \frac{\ln(b_2/\tau)}{\ln \lambda_1} + 1 \right); \quad n = \left\lceil \frac{\ln(b_2/\tau)}{\ln \lambda_1} \right\rceil \quad (11)$$

since we require n to be an integer value. The maximum length of a simple chain in a core-periphery network thus depends on the cost level τ , the connectedness within the core Q expressed by the largest eigenvalue λ_1 , and the relative reputation of the core user who connects the core to the chain (in our example user \mathcal{Q}).

Unstable cores Imposing the condition $n > 0$ in Eq. (11) requires that $\lambda_1 > 1$ and $b_2 > \tau$ which holds only if the OSN contains *cycles*. Without these cycles, $\lambda_1 = 0$, i.e. the core-periphery structure breaks down. The condition, $b_2 > \tau$, requires that the core user \mathcal{Q} , who connects to the simple chain, needs to obtain a net gain from participating in the OSN. Otherwise, due to the attenuation factor in Eq. (10), none of the users in the chain would have an incentive to stay in the network.

The special case of $\lambda_1 = 1$ represents an important exception. In this case, and provided that $b_2 > \tau$, the length of the simple chain is no longer bounded, since all users in the chain would have the same relative reputation. More importantly, however, network structures like these are very unstable, because core users have a reputation comparable to the periphery. In fact, peripheral users can often obtain a higher reputation from multiple connections to the core, which reduces the benefit of the core users and increases their likelihood of leaving. Different from peripheral users, the leave of core users considerably affects other core users that are part of the same cycle. This starts cascades of users leaving and thus destroys the core. Without the core, the periphery would not be able to sustain its reputation and would break down as well.

Number and length of cycles Unstable core-periphery structures can be avoided as long as *interlocking cycles* appear in the core. These contain users involved in multiple cycles which in turn receive a much higher reputation and increase the benefit, i.e. the relative reputation, also for others. Both the number of cycles in a network and their length have an impact on the largest eigenvalue λ_1 as illustrated in Appendix B. In general, we can conclude that λ_1 *increases* with the *number of cycles*, but *decreases* with the *length* of the cycle (keeping all other variables constant).

The number of cycles in the network further depends on the average density m (average number of links per user), a parameter discussed in the next section when we introduce the dynamics for the network.

2.3 Network dynamics

In the previous section, we have explained that the reputation dynamics of Eq. (2), for a *fixed network*, converges to an equilibrium state in which the relative reputations of users are fixed. This convergence time defines the time scale for the reputation dynamics. Dependent on their

stationary reputation value that defines their benefit in relation to their costs τ , Eq. (3), users can decide to leave the OSN, Eq. (1), and will be replaced by new users joining the OSN. As described above, we assume that $N_{\text{exit}}(T) = N_{\text{entry}}(T)$, to keep N constant. T is the time at which entry and exit happen. We assume that the time scale for entry and exit, i.e. for changing the network structure, can be separated from the time scale of the reputation dynamics which is much shorter. I.e. users make their decision based on the quasi-stationary benefit, which can only change after the network has changed.

If a user leaves the OSN, all her (incoming and outgoing) links are set to zero. The newcomer will establish the same number of incoming and outgoing links *on average* but, assuming that she does not know all other users, these links will be distributed at random. We assume that each user follows on average m other users. Precisely, there is a constant probability p that a new user links to the $(N - 1)$ other users, and $m = p(N - 1)$ is a constant related to the average density of a random OSN.

Our major interest in this paper is in the role of the cost τ that, according to Eqs. (1), (3) defines the level at which users will leave the OSN, measured in terms of the relative reputation. The latter is between zero and one, so τ gives the fractional benefit that has to be reached to stay in the OSN. In our computer simulations, we will vary this level from zero to 0.5 to study the impact of increasing costs.

$\tau=0$ would imply no costs. To still allow for a network dynamics in this case, we apply the so-called extremal dynamics. I.e. we choose the user with the lowest relative reputation, and force her to leave the OSN, to allow a new user to enter. In case of several users with the same low b value, we choose one of them randomly. The other limiting case $\tau = 1$ would imply that all N users will leave and be replaced by a completely new cohort. Then, the network at every time T starts as a new random network, which has no chance to evolve. Hence, small or intermediate values of τ would be most appropriate.

3 Results of computer simulations

3.1 Performance

How should one measure the “performance” of a OSN? Users join the OSN for a purpose and, as we have explained in Sect. 2.1, here we assume that the benefits of users can be measured in terms of their *relative reputation*, which should be possibly increased. This implies that not only the number of followers is taken into account, but also their “value” in terms of their own reputation. Hence, it would be obvious to use the *long-term average* over all users’ relative reputation as a systemic measure whether or not the OSN fulfills the expectation of its users. This will serve as a proxy for the performance of the OSN.

Specifically, we build on the relative reputation, $b_i(T)$, Eq. (3) of a user i , obtained in the quasi-stationary limit at time T . Then, both $X_i(t)$ and $X_{\max}(t)$ can be expressed by the corresponding values $X_i^{\lambda_1}(T)$ and $X_{\max}^{\lambda_1}(T)$ from the eigenvector \mathbf{X}^{λ_1} and we find for the average reputation of all N users

$$\bar{b}(T) = \frac{1}{N} \sum_{i=1}^N b_i(T) = \frac{1}{N} \sum_{i=1}^N \frac{X_i^{\lambda_1}(T)}{X_{\max}^{\lambda_1}(T)}; \quad \langle b \rangle = \frac{1}{R} \sum_{r=1}^R \bar{b}_r(T_{\max}) \quad (12)$$

$\bar{b}(T)$ refers to the population average at a given time T which can considerably fluctuate because of stochastic influences when changing the network structure at every time step T . Therefore, we define the *long-term average benefit* $\langle b \rangle$ which is a system average taken over a large number of independent runs R , where the average satisfaction was measured after considerable long time T_{\max} .




Figure 2: Long-term average benefit $\langle b \rangle$, Eqn. (12) for varying costs τ (left) and average number of links m (right).

The results of our simulations are shown in Fig. 2 for various values of the costs τ and the average number of links m . The most remarkable observation, prominently shown on the left side of Figure 2, is the maximum average benefit $\langle b \rangle_{\max}$ for a non-zero cost at $\tau_{\max}=0.2$. Counterintuitively, this result implies that adding a cost for participating in an OSN maximises the average reputation in the system.

The right part of Figure 2 demonstrates how this effect depends on the other important model parameter, the average number m of users, a new user tends to follow. Here, we clearly observe that for costs below τ_{\max} , m has almost no influence on the performance, which is interesting enough because one would assume that a larger number of potential followers would always improve the situation. Note, however, that the performance relates to the *relative* reputation, i.e. X_i may increase with m but so does X_{\max} . For costs above τ_{\max} , we see a drastic decrease

in the performance which depends on m in a much more pronounced way. In fact, there is a non-monotonous dependence, i.e. *increasing* m in the range of small values will further *decrease* the performance.

To better understand these interesting results about the improvement of performance with increasing costs, we have to refer to the robustness of the OSN, which is inherently related to the stability of the core-periphery structure already discussed in Sect. 2.2.

3.2 Robustness

A OSN is said to be *robust* if the decision of users to leave the OSN will not trigger large cascades of further users leaving. Hence, we could use the sheer fraction of users remaining in the OSN at time T , $Y(T) = 1 - N_{\text{exit}}(T)/N$, as a measure of its robustness. However, because this dropout is always compensated by a number of new users entering the OSN, we will need a different robustness measure.

We recall that the robustness of the OSN depends on the existence of a distinct *core-periphery* structure for which the stability conditions are explained in Sect. 2.2 and Appendix C. This core-periphery structure is challenged at every time T because of the entry and exit of users and the corresponding formation and deletion of links. Therefore, cascades of users leaving can generally not be avoided, as exemplified in Appendix C. However, such cascades should not destroy the whole OSN, in particular not the *core* of the network that contributes the most to the average benefit of its users and prevents the periphery from leaving the OSN.

Consequently, we will use the *life time* Ω_Q of the core Q (measured in network time T) as a proxy for the robustness of the OSN. Because of considerable fluctuations, similar to performance, we will use the *average* $\langle \Omega_Q \rangle$ taken over a considerable long time T_{max} (and possibly also averaged over a large number R of independent runs).

Figure 4 in Appendix D illustrates, for a sample network, that the robustness measure $\langle \Omega_Q \rangle$ is maximized for the optimal cost level $\tau_{\text{max}}=0.2$. Specifically, we notice a non-monotonous behavior. The lifetime of the core-periphery structure is mostly threatened by peripheral users attracting followers, without reciprocally contributing to the benefit of others (see Appendix C). A non-zero cost, $0 < \tau < \tau_{\text{max}}$, prevents this “behavior” to some extent, but a cost too high, $\tau_{\text{max}} < \tau < 1$, rather destroys the core and, hence, the depending periphery.

Because of the fact that both performance and robustness are maximized for the optimal cost level $\tau_{\text{max}}=0.2$, one could argue that performance is simply a substitute of robustness. This simplified explanation, however, does not hold. As Appendix C shows in detail, the core can be destroyed by cascades that involve core users. But the replacement of users leaving by new users at each time step T also bears the chance that random rewiring leads to the *recovery* of the core, thanks to new users linked to the core.

That means, to maximize performance not only the *life time* of the core matters, but also the *recovery time* Π_Q it takes to rebuild the core. The OSN should recover quickly, to not affect the long-term benefit of its users. As Figure 4 in Appendix D shows for a sample network, the averaged recovery time $\langle \Pi_Q \rangle$ of the core-periphery structure becomes shorter if τ increases, i.e. if more new users enter the OSN, and new links increase the chance of establishing reciprocal relations. But, again, if the randomness associated with this process becomes too high, favorable structures may get destroyed. A small, but considerable cost $\tau_{\max}=0.2$ is able to balance these counteracting processes.

In conclusion, the cost value $\tau_{\max}=0.2$ optimizes the *ratio* between these two time spans, the average life time of the core, $\langle \Omega_Q \rangle$, and the average recovery time of the core, $\langle \Pi_Q \rangle$. Their combined impact, i.e. maximizing $\langle \Omega_Q \rangle$ while minimizing $\langle \Pi_Q \rangle$ only explains the maximum of performance $\langle b \rangle$, as discussed in detail in Appendix D.

3.3 Core size and largest eigenvalue

In Sect. 2.2 we already shortly discussed how an increase in cost τ affects the structure of the OSN. In particular, the length of both simple chains and of cycles of followers will be reduced (Eq. (11)). This results in a decreasing size Q of the core built by users that belong to one or more cycles. Figure 3 shows the histogram of the core sizes, $P(Q)$ for two different costs, $\tau=0$ and $\tau=0.25$, where the first one is only used as a reference case. One recognizes that, with increasing cost, the distribution gets more skewed, with its maximum shifted to smaller values of Q . To allow for a real comparison of the different simulations, we have taken into account only those realizations where the core-periphery structure encompasses the whole network (i.e. one connected component, and no isolated users, or groups of users). Figure 5 shown in Appendix E also illustrates the structure of the resulting OSN. One clearly observes that with increasing costs there is a tendency of users in the core to follow more other users.

The second structural insight comes from the histogram of the largest eigenvalue, $P(\lambda_1)$, shown in the right part of Figure 3. Compared to the case with no costs, we observe a considerably broader distribution, with the maximum shifted to a larger value of λ_1 . I.e. with increasing costs, there is a much larger likelihood to find larger values of λ_1 , which implies shorter simple chains and shorter cycles. In line with the argumentation in Appendix B, we can also confirm that larger λ_1 correspond to more cycles inside the core, and thus larger average reputation, which can be verified by comparing the snapshots of Figure 5.

We remind that the condition (11) only refers to simple cycles and *simple* chains, that is, chains in which each user has exactly one follower. If users have several followers, their benefit-to-cost difference can overcome the condition (11) even if their position in the chain or in the cycle would not allow for this. And such users automatically boost the reputation of all other users




Figure 3: (left) Distribution $P(Q)$ of core sizes Q , (right) Distribution $P(\lambda_1)$ of the largest eigenvalue λ_1 . (red) $\tau = 0$, (green) $\tau = 0.25$. Other parameters $N = 100$, $m = 0.25$, $T_{\max} = 10^6$

downstream. As the cost τ increases, having more than one follower becomes crucial in particular for peripheric users to stay. Having more than one follower, on the other hand, also increases the chance of creating new cycles, which in turn increases λ_1 . This again feeds back both on the core and the periphery of the OSN, increasing the pressure towards a more compact core and shorter chains. Hence, it is in fact the relation with λ_1 that facilitates the role of the cost τ in shaping the network.

4 Discussion

In this paper, we have proposed an agent-based model of online social networks (OSN) which captures several generic features of such networks:

Core-periphery structure Most OSNs are characterised by a core of active users that are closely linked to each other, and a periphery of less active users that are loosely connected to the core. Empirical studies have shown (Garcia *et al.*, 2017, 2013) that the core of OSN is not only quite large, compared to the size of the OSN, but also “deep”, i.e. most users are well integrated in the OSN. Our model is able to reproduce such a structure, but also to explain its origin, as a combination of direct and indirect reciprocity. The former implies mutual directed links between two users, whereas the latter occurs if users are part of closed cycles and thus benefit from others through the cycle.

Reputation dynamics Many models of OSN take the number of “friends”, i.e. direct links between users into account and take degree and traditional centrality metrics as proxies of a user’s reputation (Kwak *et al.*, 2010; Magno and Weber, 2014; Niven *et al.*, 2015). Our model, in contrast, not only considers that such social relations are *directional*, i.e. a link from user j to i does not necessarily implies a link from i to j . It also explicitly takes the different impact of users into account, weighting it by means of a (generalized) *reputation*. Noteworthy, reputation is not determined by the user herself, instead it results from the interaction with others. A user is said to have a high reputation if it is followed by many other users of high reputation. I.e. in addition to the *number* of followers, also their *value* is taken into account. Reputation that is not actively maintained will fade out in the course of time. I.e. users that are not able to attract followers automatically loose in impact.

Cost-benefit analysis In our model, users join the OSN for a purpose. That means they bear costs, to obtain some benefit. If their costs are higher than their benefits, users *leave* the OSN. Hence, our model includes an *entry-exit dynamics* which is motivated by rational arguments. We have assumed that a user’s benefit increases with the number of followers it attracted, which in turn boost its reputation. Hence, benefits are measured by the relative reputation of a user, scaled by the maximum reputation in the OSN. The latter allows us to better compare OSNs of different sizes and link densities. Costs, on the other hand, are assumed to be fixed, they include for example the effort of using the website or to maintain a profile.

Our main focus in this paper was on the role of the *cost* τ incurred for every active users. Increasing τ would imply a pressure on users to leave because it worsens their cost-benefit relation. This short-term negative effect, however, has a positive influence on the core-periphery structure of the OSN. As we demonstrate in this paper, an optimal cost level is able to increase the *long-term benefit* of users in terms of a higher relative reputation.

Performance In order to estimate the impact of increasing costs, we have defined the long-term benefit averaged over the whole OSN, $\langle b \rangle$, as a performance measure. Intuition would suggest that $\langle b \rangle$ monotonously decreases with increasing costs up to a point where the whole OSN collapses. Interestingly, this picture does not hold for comparably small cost values. On the contrary, a small cost up to $\tau_{\max}=0.2$ improves the situation, i.e. the long-term benefit *increases* compared to a reference case without any cost (where no user would leave). In other words, a small cost forces those users to leave which were never able to attract any follower. This, in our model, gives way to new users that might be more successful in this respect.

Robustness As a second important insight, we analyze both mathematically and by means of computer simulations how increasing costs change the structure, and hence the robustness, of

the OSN. Our model is set up in a way that it allows to express the outcome of the reputation dynamics by λ_1 , the largest eigenvalue of the adjacency matrix that describes the interaction between users, i.e. who follows whom. We verified that an increasing cost τ leads to higher values of λ_1 , which means a smaller, but more compact core and, most remarkably, in an increasing likelihood to have more than one follower. This, on the other hand, *increases* the direct and indirect *reciprocity* that characterizes the core.

Robustness implies that cascades of users leaving will not destroy the core, i.e. the life time of the core can be used as a proxy measure of robustness. We have shown that this life time is maximized for the optimal cost value $\tau_{\max}=0.2$.

We emphasize that the above conclusions are obtained from a model that, as every model, only captures part of the features of real OSN. The value of the model is in what it is able to produce *despite* some of the simplified assumptions. Our insights now allow us to specifically search for optimal cost-benefit relations, or to test other assumptions to calculate the benefit.

Why is this issue important? First of all, there *are* costs involved in being a member of an OSN, even if they are implicit. These include, among others, the efforts to login and to retain one's own social network (e.g. by maintaining regular information stream), the effort of learning how to efficiently use the GUI of the provider, or the effort to adapt to changes in the GUI. The latter can make it harder to maintain social contacts, at least temporarily. As Garcia *et al.* (2013) argued, it was ill-timed interface changes that caused the massive dropout of users from **Frienster**, which came at a time when new competitors, such as **Facebook**, were ramping up in popularity.

There is a second issue involved in this discussion. Even if most users enjoy participating in an OSN free of charge, companies would like to know these users would respond, if at some point in time costs such as monthly membership fees are introduced. Will members remain loyal, or will this lead to a massive exodus of users, making the OSN less attractive for investors? Subsequently, if users leave how would this affect the OSN? What will be the impact of less active users leaving compared to core users leaving? What incentives should be introduced to keep power users engaged?

With our agent-based modeling framework that consider both entry-exit dynamics and cost-benefit considerations of users, we are able to address such questions. It also helps to better understand the relation between the integration of users and the overall performance of the OSN, which allows to formally consider issues such as user satisfaction and service quality.

References

- Bapat, R. B.; Raghavan, T. E. (1997). *Nonnegative matrices and applications*, vol. 64. Cambridge University Press.
- Battiston, S.; Puliga, M.; Kaushik, R.; Tasca, P.; Caldarelli, G. (2012). DebtRank: Too Central to Fail? Financial Networks, the FED and Systemic Risk. *Scientific Reports* **2**, 541.
- Berman, A.; Plemmons, R. J. (1987). *Nonnegative Matrices in the Mathematical Sciences*. Society for Industrial and Applied Mathematics.
- Borgatti, S.; Everett, M. (2000). Models of core/periphery structures. *Social Networks* **21(4)**, 375–395.
- Capocci, A.; Servedio, V. D. P.; Colaiori, F.; Buriol, L. S.; Donato, D.; Leonardi, S.; Caldarelli, G. (2006). Preferential attachment in the growth of social networks: The internet encyclopedia Wikipedia. *Physical Review E* **74**, 036116.
- Cattani, G.; Ferriani, S. (2008). A Core/Periphery Perspective on Individual Creative Performance: Social Networks and Cinematic Achievements in the Hollywood Film Industry. *Organization Science* **19(6)**, 824–844.
- Corten, R. (2012). Composition and Structure of a Large Online Social Network in the Netherlands. *PLoS ONE* **7(4)**, e34760.
- Eigen, M.; Schuster, P. (1979). *The Hypercycle: A principle of natural self-organization*. Springer, Berlin.
- Everett, M.; Borgatti, S. (2000). Peripheries of cohesive subsets. *Social Networks* **21(4)**, 397 – 407.
- Garcia, D.; Mavrodiev, P.; Casati, D.; Schweitzer, F. (2017). Understanding popularity, reputation, and social influence in the Twitter society. *Policy & Internet* **9(3)**, 343–364.
- Garcia, D.; Mavrodiev, P.; Schweitzer, F. (2013). Social resilience in online communities: The autopsy of friendster. *Proceedings of the 1st ACM Conference in Online Social Networks (COSN '13)*, 39–50.
- Gayo-Avello, D. (2013). Nepotistic relationships in Twitter and their impact on rank prestige algorithms. *Information Processing & Management* **49(6)**, 1250 – 1280.
- Hojman, D.; Szeidl, A. (2008). Core and periphery in networks. *Journal of Economic Theory* **139(1)**, 295 – 309.
- Holme, P. (2005). Core-periphery organization of complex networks. *Physical Review E* **72**, 046111.
- Jain, S.; Krishna, S. (1998). Autocatalytic Sets and the Growth of Complexity in an Evolutionary Model. *Physical Review Letters* **81(25)**, 5684–5687.
- Jain, S.; Krishna, S. (2002a). Crashes, Recoveries, and Core Shifts in a Model of Evolving Networks. *Physical Review* **65(2)**, 26103–26104.
- Jain, S.; Krishna, S. (2002b). Crashes, recoveries, and "core shifts" in a model of evolving networks. *Physical Review E* **65**, 026103.
- Koenig, M. D.; Battiston, S.; Schweitzer, F. (2009). Modeling Evolving Innovation Networks. In: A. Pyka; A. Scharnhorst (eds.), *Innovation Networks . New Approaches in Modelling and Analyzing*, Berlin: Springer. pp. 187 – 267.
- Kumar, R.; Novak, J.; Tomkins, A. (2010). Structure and Evolution of Online Social Networks. In: P. S. Yu; J. Han; C. Faloutsos (eds.), *Link Mining: Models, Algorithms, and Applications*, New York: Springer. pp. 337–357.
- Kwak, H.; Lee, C.; Park, H.; Moon, S. (2010). What is Twitter, a social network or a news media? In: *Proceedings of the 19th international conference on World wide web*. ACM, pp. 591–600.

- Lorenz, J.; Battiston, S.; Schweitzer, F. (2009). Systemic risk in a unifying framework for cascading processes on networks. *European Physical Journal B* **71(4)**, 441–460.
- Magno, G.; Weber, I. (2014). International gender differences and gaps in online social networks. In: *International Conference on Social Informatics*. Springer, pp. 121–138.
- Niven, K.; Garcia, D.; Lowe, I. V. D.; Holman, D.; Mansell, W. (2015). Becoming popular: Interpersonal emotion regulation predicts relationship formation in real life social networks. *Frontiers in Psychology* **6(1452)**.
- Seufert, A. M.; Schweitzer, F. (2007). Aggregate Dynamics in an Evolutionary Network Model. *International Journal of Modern Physics C* **18(10)**, 1659–1674.
- Tessone, C. J.; Garas, A.; Guerra, B.; Schweitzer, F. (2013). How big is too big? Critical shocks for systemic failure cascades. *Journal of Statistical Physics* **151**, 765–783.
- Vitali, S.; Glattfelder, J. B.; Battiston, S. (2011). The Network of Global Corporate Control. *PLoS ONE* **6(10)**, e25995.

Appendix A: Absolute and relative reputation

In this Appendix, we show that the equilibrium *absolute* reputations given by a stationary solution to Eq. (2) are a scaled representation of the equilibrium *relative* reputations \mathbf{x} and \mathbf{b} .

Let us rewrite Eq. (2) in matrix form:

$$\frac{d\mathbf{X}(t)}{dt} = \mathbf{A}\mathbf{X}(t) - \phi\mathbf{X}(t) \quad (13)$$

It is clear that an equilibrium exists only if ϕ is an eigenvalue of \mathbf{A} . In this case, the corresponding eigenvector gives the equilibrium absolute reputation. Additionally, as ϕ represents a decay rate, and $X_i(t) \geq 0$ for all i , we require that the matrix \mathbf{A} has at least one positive eigenvalue, and that its corresponding eigenvector does not have negative components. As \mathbf{A} is a non-negative real matrix, we obtain these conditions from the Perron-Frobenius theorem (see main text). However, we are still bound by a limited set of values for the decay rate.

To avoid this last restriction, a common transformation is to normalise the absolute reputation, $X_i(t)$, with respect to the total reputation in the system. By doing so, the free parameter ϕ disappears, provided it is the same for all users. More importantly, using such relative reputation is more plausible in an OSN where individuals tend to evaluate their benefit with respect to others, rather than to an arbitrary absolute scale.

Let $x_i(t) = X_i(t) / \sum_j X_j(t)$. Then we can express the dynamics of $x_i(t)$ as follows:

$$\begin{aligned}
\frac{dx_i(t)}{dt} &= \frac{\frac{dX_i(t)}{dt} \left(\sum_j X_j(t) \right)}{\left(\sum_j X_j(t) \right)^2} - \frac{X_i(t) \frac{d \left(\sum_j X_j(t) \right)}{dt}}{\left(\sum_j X_j(t) \right)^2} = \frac{dX_i(t)/dt}{\sum_j X_j(t)} - x_i(t) \frac{d \sum_j X_j(t)/dt}{\sum_j X_j(t)} \\
&= \frac{\sum_j a_{ij} X_j(t) - \phi X_i(t)}{\sum_j X_j(t)} - x_i(t) \frac{\sum_j \sum_k a_{jk} X_k(t) - \phi X_j(t)}{\sum_j X_j(t)} \\
&= \sum_j a_{ij} x_j(t) - \cancel{\phi x_i(t)} + \cancel{\phi x_i(t)} - x_i(t) \sum_j \sum_k a_{jk} x_k(t) \\
&= \sum_j a_{ij} x_j(t) - x_i(t) \sum_j \sum_k a_{jk} x_k(t) \tag{14}
\end{aligned}$$

In matrix form Eq. (14) becomes:

$$\frac{d\mathbf{x}(t)}{dt} = \mathbf{A}\mathbf{x}(t) - \mathbf{x}(t) \sum_j \sum_k a_{jk} x_k(t) \tag{15}$$

The equilibrium solutions to Eq. (15) are given by the eigenvectors of \mathbf{A} . If \mathbf{X}^λ is one such eigenvector with a corresponding eigenvalue λ , then the rescaled vector $\mathbf{x}^\lambda = \mathbf{X}^\lambda / \sum_i X_i^\lambda$ is also an eigenvector, and the constant, $\sum_j \sum_k a_{jk} x_k(t)$, equals λ .

However, defining relative reputation in this way, presumes that either everyone's reputation or the total reputation in the system is common knowledge. This is unlikely to be the case in any OSN. For this reason, we normalise $X_i(t)$ with respect to the individual with maximum absolute reputation $X_{\max}(t)$.

Let $b_i(t) = X_i(t)/X_{\max}(t)$. The dynamics of $b_i(t)$ becomes:

$$\begin{aligned}
\frac{db_i(t)}{dt} &= \frac{\frac{dX_i(t)}{dt} X_{\max}(t)}{X_{\max}(t)^2} - \frac{X_i(t) \frac{dX_{\max}(t)}{dt}}{X_{\max}(t)^2} = \frac{dX_i(t)}{dt} \frac{1}{X_{\max}(t)} - b_i(t) \frac{1}{X_{\max}(t)} \frac{dX_{\max}(t)}{dt} \\
&= \frac{\sum_j a_{ij} X_j(t)}{X_{\max}(t)} - \phi \frac{X_i(t)}{X_{\max}(t)} - b_i(t) \frac{1}{X_{\max}(t)} \left(\sum_j a_{zj} X_j(t) - \phi X_{\max}(t) \right) \\
&= \sum_j a_{ij} b_j(t) - \cancel{\phi b_i(t)} + \cancel{\phi b_i(t)} - b_i(t) \sum_j a_{zj} b_j(t) = \sum_j a_{ij} b_j(t) - b_i(t) \sum_j a_{zj} b_j(t) \tag{16}
\end{aligned}$$

where z is the index of the individual with the highest absolute reputation $X_{\max}(t)$.

In a similar manner, a rescaled eigenvector of \mathbf{A} , $\mathbf{b}^\lambda = \mathbf{X}^\lambda / X_{\max}^\lambda$, is an equilibrium solution to Eq. (16). In this case the constant, $\sum_j a_{zj} b_j(t)$ again equals λ .

To summarise, an eigenvector \mathbf{X}^λ of \mathbf{A} is a solution to both Eq. (15) and Eq. (16). This shows that the two ways of defining relative information are in fact equivalent, up to a scaling factor.

Appendix B: Impact of cycles on λ_1

To further illustrate the impact of the network structure, in particular the number and the length of cycles, on the largest eigenvalue of the adjacency matrix, we present some didactical examples in Table 1.

	Adjacency matrix	Corresponding network
[1]	$A = \begin{pmatrix} 0 & 0 & 1 \\ 1 & 0 & 0 \\ 0 & 1 & 0 \end{pmatrix}$ $\lambda_1 = 1$ $\mathbf{b}^{\lambda_1} = (1, 1, 1)$	
[2]	$A = \begin{pmatrix} 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 \\ 0 & 1 & 0 & 0 \end{pmatrix}$ $\lambda_1 = 1.22$ $\mathbf{b}^{\lambda_1} = (0.819, 0.671, 1, 0.55)$	
[3]	$A = \begin{pmatrix} 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 & 0 \end{pmatrix}$ $\lambda_1 = 1.36904$ $\mathbf{b}^{\lambda_1} = (0.73, 0.533, 1, 0.835, 0.61)$	
[4]	$A = \begin{pmatrix} 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \end{pmatrix}$ $\lambda_1 = 1.194$ $\mathbf{b}^{\lambda_1} = (0.838, 0.702, 1, 0.588, 0.492)$	

$$[5] \quad A = \begin{pmatrix} 0 & 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \end{pmatrix}$$

$\lambda_1 = 1.325$
 $\mathbf{b}^{\lambda_1} = (0.755, 0.57, 1, 0.755, 0.57, 0.43)$

Table 1: Examples of how the network structure affects the adjacency matrix

The example [1] has the largest eigenvalue of $\lambda_1 = 1$, and the corresponding eigenvector gives the same relative reputation for every user. A possible next step in the evolution of the core structure is shown in [2] where a new user 4 joins the network. User 2 follows this newcomer, who in turn links itself back to user 3. The core is now composed of two cycles of length 3 and 4. As a consequence, λ_1 jumps up from 1 to a new value 1.22. Hence, the addition of a cycle to the core increases λ_1 . With this, the reputation of the users in the core is no longer homogeneous. Because of her two followers, user 3 has the highest relative reputation, whereas user 4, being the last in the cycle starting with user 3 has the lowest reputation.

If a new user 5 joins the core structure, this time adding a 2-cycle, as shown in [3], this results in a further increase of λ_1 and a re-shuffling in the reputation vector. User 3 is still dominant, but now user 4 is able to boost her own reputation thanks to user 5. This leaves user 2 as the loser in this new configuration.

To illustrate the effect of cycle sizes on the core structure, imagine that user 5 joined the network in a different way. Instead of creating a 2-cycle, she might have extended an existing one, as shown in [4]. The core now consists of a 3-cycle and a 5-cycle, everything else being the same (i.e. user 2 still follows two other users and user 3 still has two followers). Yet, this alternative addition of user 5 has the effect of *reducing* the value of λ_1 : it is now $\lambda_1 = 1.194$, down from 1.22 before. User 3 is still dominant, but now user 5, being the last in the cycle starting at user 3, has the lowest population. This core structure would be unfeasible in a system with a cost level $\tau = 0.5$, since user 5 would decide to leave.

Let us go back to the sustainable core structure shown in [3]. Imagine that the 2-cycle is expanded by user 6 following user 4 and being followed by user 5 (shown in [5]). Again, the effect of increasing the length of the cycle was to reduce λ_1 .


To summarize these observations we conclude that adding a cycle to an existing core while keeping all else equal increases the value of λ_1 . On the other hand, if the number of cycles is kept constant, then *increasing* the length of a cycle *decreases* the value of λ_1 .


Appendix C: Cascades of users leaving the OSN

Table 2 shows consecutive steps without cost ($\tau_1=0$, left column) and with optimal cost ($\tau_2=0.2$, right column), to illustrate how cascades of users leaving the OSN emerge. The initial configuration (STEP T_0) shown in Table 2 has a core-periphery structure (users 1, 2, 3 belong to the core coloured in red, and users 4, 5 to the periphery). Users coloured in grey leave the OSN at the given time step. In the initial configuration user 5 has the lowest relative reputation of 0.24 and will leave the network because, according to Sect. 2.3, it is assumed that even with $b > \tau$ at least one user, i.e. the one with the least benefit, will leave to ensure the network dynamics for both cost levels. In the next time step, it will be replaced by another user 5 with a different connections to the network. Because of the tightly connected core, most dropout events during subsequent time steps (not shown) will likely affect only the periphery, replacing users 4 and 5. However, due to the random rewiring of m incoming and outgoing links for each new user, configurations like the ones shown at a later STEP T_1 of Table 2 can appear. In fact, the consecutive steps T_1 - T_4 are drawn from real simulations of this small OSN (see also Appendix D).

Interestingly, in STEP T_1 the peripheral users attract a number of incoming links. This may not happen immediately at their entry, but we assume that, within one time step T , after a short relaxation time users become known to at least part of the network and then are able to receive incoming links, as well as they get to know part of the network to establish outgoing links to existing users. Because of this link structure, the peripheral users can receive the same relative reputation (printed below each snapshot) as the core users. I.e. all users become susceptible to dropout in the same manner. In the example user 1 (left column) and user 2 (right column) will leave because, among users with the same low reputation, one is chosen at random. Their dropout leads to a smaller core and, consequently, to a lower relative reputation of core users which becomes even lower than the one of peripheral users. This in turn determines further core users to leave as it is shown at STEP T_2 . In the right column, user 1, which was a follower of the previous user 2, leaves now. In the left column, a new user 1 has entered the OSN, but (because of the random rewiring process) fails to establish links to other users, or to attract other links. Hence, this user is also determined to leave at the current time step. In the consecutive STEP T_3 , the cascade of core users leaving further erodes the structure of the core and hence also affects the peripheral users as shown in STEP T_4 . In conclusion, after the core was affected by the cascades in STEP T_1 , the OSN could no longer remain resilient.


As the snapshots of Table 2 come from real computer simulations, we can also tell that it took a considerable time before, because of random rewiring, a new core of users emerged. Precisely, the recovery time was $T_{\text{recovery}}=492$ in the case of $\tau_1=0$, but only $T_{\text{recovery}}=297$ in the case of $\tau_2=0.2$. As this example indicates, the emergence of cascades of users leaving is largely independent of the precise cost level. However the time for the OSN to recover and the average life time of the core significantly depends on it. This is quantitatively analysed in Appendix D.





$$\mathbf{b}^{\lambda_1} = (1, 0.5, 0.5, 1, 0.5)$$


$$\langle b \rangle = 0.7$$



$$\mathbf{b}^{\lambda_1} = (0.5, 1, 0.5, 0.5, 1)$$


$$\langle b \rangle = 0.7$$

STEP T_4



$$\mathbf{b}^{\lambda_1} = (1, 0, 0, 0, 0)$$

$$\langle b \rangle = 0.2$$



$$\mathbf{b}^{\lambda_1} = (0, 1, 0, 0, 0)$$

$$\langle b \rangle = 0.2$$

Table 2: Examples of emerging cascades of users leaving (obtained from computer simulations, see also Appendix D). The top row shows the initial configuration of a sample OSN. Subsequent rows show consecutive time steps of the evolution of the OSN, measured in network time T_1 - T_4 for two different cost levels: (left column) $\tau_1 = 0$, (right column) $\tau_2 = 0.2$. (red) indicates core users, (grey) indicates users leaving at the given time step. The relative reputation \mathbf{b}^{λ_1} of users and the average reputation $\langle b \rangle$, Eqn. (12), is given for each configuration.

Appendix D: Optimal cost level

To illustrate how the cost, τ , affects the average reputation in the network, we simulated the dynamics of a small network of five nodes over $T_{\max} = 10^4$ network time steps. The left part of Figure 4, which should be compared with the left part of Figure 2, shows the average reputation of the OSN. We observe again that for our small network the maximum average benefit is attained for a nonzero cost. More precisely, we confirm that the optimal cost is $\tau_{\max} = 0.2$, as it was for the much larger network simulated in Figure 2, so this cannot be attributed to a size effect. Furthermore, at this optimal cost level, the network is not considerably disturbed as the average number of new users is less than 40% of the network size. This shows that the maximum average benefit is not concentrated in a minority of core users, at the expense of a large and sparsely connected periphery.




Figure 4: (Left) Long term average benefit $\langle b \rangle$, Eqn. (12) (blue, left scale), and average fraction of rewired users over the whole simulation (red, right scale). (Right) Average lifetime of a core, $\langle \Omega_Q \rangle$ (blue), and average time to establish a core, $\langle \Pi_Q \rangle$ (green), both measured in network time T , as a function of the cost τ . The Wilcoxon-rank test shows that $\langle \Omega_Q \rangle_{\tau=0.2}$ is significantly different from $\langle \Omega_Q \rangle_{\tau=0.1}$ (p-value = 0.02) and from $\langle \Omega_Q \rangle_{\tau=0.3}$ (p-value = 10^{-8})

The right part of Figure 4 explains why this particular value of τ appears to be the optimal one. Here, we have plotted two different time spans, the average lifetime of a core, $\langle \Omega_Q \rangle$, and the average time to establish a core, $\langle \Pi_Q \rangle$, both measured in network time T , as a function of the cost τ . With the exception of $\tau=0$, which only serves as a reference case, the time $\langle \Pi_Q \rangle$ to establish a core in the OSN monotonously increases with τ until it reaches a saturation value at high levels of $\tau \rightarrow 1$. As explained in Sect. 2.3, this increase is due to the increasing number of users that leave the OSN at each time step T . If τ gets too large, a considerable fraction of the OSN is replaced, this way also destroying favorable reciprocal social links. For large τ the average life time of the core, $\langle \Omega_Q \rangle$, decreases for the very same reasons. For small τ , however, we observe a non-monotonous behavior, i.e. the life time increases with τ until it reaches a maximum at $\tau_{\max}=0.2$. I.e. the optimal cost level balances two different dynamic effects: (a) the *emergence* of a core of users that, by means of direct or indirect reciprocity, keep a relatively high reputation, and (b) the *maintenance* of this core by the users. Cascades of users leaving cannot be prevented as we have explained in Appendix B. The question is how fast the OSN is able to cope with it. At the optimal cost level, the core not only stays alive, but also quickly recovers from the leave of core users. Therefore the average reputation of most of the users remain high *over time*.

Appendix E: Network structure

Here we present three typical snapshots of the network structure for different values of the cost τ . In all three simulations, the parameter that determines the network density is fixed to $m=0.25$

and the system size is $N=100$. The most immediate differences in these three snapshots are (i) the core size, which strongly decreases with increasing cost τ and (ii) the maximum out-degree which increases with increasing cost τ . These findings are in agreement with our theoretical discussions in Sect. 2.2 about changes in the largest eigenvalues λ_1 dependent on the network structure (i.e. the existence of chains and cycles).




Figure 5: Sample networks for different cost τ . (left) $\tau=0.0$. $\lambda_1=1.133$, number of users in the core: 31. The largest out-degree is 5. In total, there are 3 users (71, 28, and 24) with 5 outgoing links. (middle) $\tau=0.2$. $\lambda_1=1.47$, number of users in the core: 21. The largest outdegree is 7. User 7 has 7 outgoing links, user 36 has 6, and at least five users (49, 91, 26, 54, and 45) have 5. (right) $\tau=0.3$. $\lambda_1=1.40$, number of users in the core: 7. The largest outdegree is 10. Two users (34 and 76) have outdegree 10, one (49) has out-degree 7 and one (87) has out-degree 6.